







Joint Face Detection and Facial Motion Retargeting for Multiple Faces Bindita Chaudhuri¹, Noranart Vesdapunt², Baoyuan Wang²

¹University of Washington, ²Microsoft Corporation













Multi Face Retargeting (AFW and WIDER test set)



REFERENCES: (1) landola et al., "SqueezeNet: AlexNet-level accuracy with 50x fewer parameters and <0.5MB model size", *arXiv*: 1602.07360, 2016 (2) Hu et al., "Squeeze-and-Excitation Networks", CVPR, 2018 (3) Joseph Redmon and Ali Farhadi, "YOLO9000: Better, Faster, Stronger", CVPR, 2017 (4) Ranjan et al.,"Hyperface: A deep multi-task learning framework for face detection, landmark localization, pose estimation, and gender recognition", TPAMI, 2017 (5) Yang et al., "From Facial Parts Responses to Face Detection: A Deep Learning Approach", ICCV, 2015 (6) Zhang et al., "Joint face detection and alignment using multitask cascaded convolutional networks", IEEE Signal Processing Letters, 2016 (7) Deng et al., "Joint multi-view face alignment in the wild", arXiv: 1708.06023, 2017



LONG BEACH CALIFORNIA June 16-20, 2019

Qualitative Results









Multi Face Retargeting (live performance capture)